

Part Numbers and Tire Applications Listed Below

H.O. Scale

Silicone & Urethane Super Tires

Please specify Color and compound with your order.

TYCO							
Part No.	Fits	Profile	Rear Tire	Compound A		URETHANE	
Tyco 418	.Tyco 440 .Tyco 440 x 2 All Tyco tires have an I.D. of .21875 All final O.D. tire sizes are based on a .250" O.D. wheel (rim)	xxx Low	.418" o.d. .275" wide	Black	*Tan		
Tyco 422		xx Low	.422" o.d. .275" wide	Black	*Blue		
Tyco 426		x Low	.426" o.d. .275" wide	Black	*White		
Tyco 430		Low	.430" o.d. .275" wide	Black	*Green		
Tyco 434		Medium	.434" o.d. .275" wide	Black	*Red		
Tyco 438		High	.438" o.d. .275" wide	Black	Orange		
Tyco 442		x High	.442" o.d. .275" wide	Black	Yellow		
Tyco 448		xx High	.448" o.d. .275" wide	Black	Pink		
Tyco 452R				.452" o.d. .275" wide	Black		Black
Tyco 456R				.456" o.d. .275" wide	Black		Black
Tyco 460R				.460" o.d. .275" wide	Black		Black
Tyco 464R				.464" o.d. .275" wide	Black		Black

LIFE LIKE				
Part No.	Fits	Profile	Rear Tire	Compound A-Classic Silicone
LL442	Life Like (The LL446 & LL450 also fit the old AFX G-Plus cars, see note below)	Low	.442" o.d. .304" wide	Black
LL446	All Life Like Tires have a I.D. of .250	Medium	.446" o.d. .304" wide	Black
LL450		High	.450" o.d. .304" wide	Black

AFX				
Part No.	Fits	Profile	Rear Tire	Compound A-Classic Silicone
AFX Mega G 442	AFX Mega G .21875 I.D.	Medium	.442" o.d. .248" wide	Black
AFX Tomy 458	AFX Tomy Turbo .250" I.D. 458	Medium	.458" o.d. .252" wide	Black
AFX 474	<ul style="list-style-type: none"> • Original AFX • Magnatraction • JL X-Traction • AW X-Traction • Tyco (Pro 1 & 2, Curve Hugger, HP2 & HP7, US 1 Trucking) .250" I.D.	Medium	.474" o.d. .215" wide	Black
AFX 474R			.474" o.d. .215" wide *includes radius	
AFX 490		High	.490" o.d. .215" wide	Black
AFX Low Pro 460R	Original AFX Magnatraction JL X-Traction AW X-Traction	X LOW	.460" o.d. .215" wide	Black
The Rocket 452R	BRST G-3 Viper And More (?)	.452" o.d. on a .250" D.F.Wheel	.452" o.d. .200" wide	Black
AFX .510. Special Note Below in general information	<ul style="list-style-type: none"> • AFX Specialty • New Auto World Drag Cars (Both 4 gear type) .350" I.D.	Medium	.510" o.d. .248" wide	Black

T-JET / TUFF-ONES / HOT ROD / RIGGENS				
Part No.	Fits	Profile	Rear Tire	Compound A-Classic Silicone
T-Jet .378 SKINNEY	Thunder Jet (standard wheel) All T-Jet tires have a I.D. of .156"	Medium	.378" o.d. .088" wide	Black & White
T-Jet .400 SKINNEY		High	High	Black
Tuff-1 .378	<ul style="list-style-type: none"> • Tuff-Ones • Johnny Lightning (standard rear wheel) All Tuff-1 tires have a I.D. of .156"	Medium	.378" o.d. .200" wide	Black
Tuff-1 .400		High	.400" o.d. .200" wide	Black
Riggins .430	Riggins (standard alum. Wheels) .21875" I.D.	Medium	.430" o.d. .230" wide	Black
Hot Rod .430	T-Jet/Hot Rods .21875" I.D.	Medium	.430" o.d. .122" wide	Black

SUPER TIRES 200 SERIES TIRES

#29-32 STRAIGHT SIDEWALL TIRES (NON-RADIUS)

Part No.	Fits	Profile	Rear Tire	Compound A	Silver Edition	Compound C
200 Series 420	BSRT G3, Slottech, Viper Scale Racing, Wizzard Fusion Wizzard Fusion & Wizzard Storm	.420" o.d. on a .250" DF wheel	.420" o.d. .200" wide	Black	Silver Edition Silicone Sponge tire-Black	Extra Firm Blue Flame
200 Series 424		.424" o.d. on a .250" DF wheel	.424" o.d. .200" wide	Black	Silver Edition Silicone Sponge tire-Black	Extra Firm Blue Flame
200 Series 428		.428" o.d. on a .250" DF wheel	.428" o.d. .200" wide	Black	Silver Edition Silicone Sponge tire-Black	Extra Firm Blue Flame
200 Series 432		.432" o.d. on a .250" DF wheel	.432" o.d. .200" wide	Black	Silver Edition Silicone Sponge tire-Black	Extra Firm Blue Flame

SUPER TIRES 200 SERIES

#33-36 RADIUS TIRE ON ONE SIDE

Part No.	Fits	Profile	Rear Tire	Compound A	Silver Edition	Compound C
200 Series 416R	BSRT G3, Slottech, Viper Scale Racing, Wizzard Fusion & Wizzard Storm	.416" o.d. on a .250" DF wheel	.416" o.d. .200" wide	Black	Silver Edition Silicone Sponge tire-Black	Extra Firm Blue Flame
200 Series 420R		.420" o.d. on a .250" DF wheel	.420" o.d. .200" wide	Black	Silver Edition Silicone Sponge tire-Black	Extra Firm Blue Flame
200 Series 424R		.424" o.d. on a .250" DF wheel	.424" o.d. .200" wide	Black	Silver Edition Silicone Sponge tire-Black	Extra Firm Blue Flame
200 Series 428R		.428" o.d. on a .250" DF wheel	.428" o.d. .200" wide	Black	Silver Edition Silicone Sponge tire-Black	Extra Firm Blue Flame

General Information

The compound will vary slightly – depending on the color.

Compound (A) Medium – great for production stock cars on plastic tracks.

Any and all tires with a "R" have a rounded sidewall on one side of the tire only.

The rear tire size indicated in the chart above, is the final outside diameter (O.D.) after the tire is mounted on the manufacturers stock wheel.

Tires #9, #10, #11 and #12 are specially designed for the latest Tyco cars (made by Mattell).

The numbers 5, 14, 16, 17, 18, 20, 22, 24, 25, 26 shaded above in yellow are the standard tire sizes (O.D.) recommended for that use.

Part # AFX 510 also fits Ideal TCR MK 1 & 2 and the Matchbox Slotless Chassis. They are slightly narrower than the stock tire, but work much better.

The Life Like LL446 & LL450 fit the old original AFX G-Plus cars perfectly. You have to remove the old sponge tires & clean up the hub first before installing your new Super Tires.

The colors noted in red with an asterisk * in front of them for the Tyco .418, .422, .426, .430 & .434 are the standard H.O. tires made specifically for Scale Auto.