

## Part Numbers and Tire Applications Listed Below

# 1/32 Scale Super Tires

ALL TIRES BELOW ARE Direct Fit Slip-on Silicone (S) & Urethane (U) Super Tires

PLEASE SPECIFY WITH YOUR ORDER S OR U AFTER PART #

### Super Wheels 1 & 2 – Delrin (Plastic) & Aluminum (Fits most 1/32 scale slot cars)

Part #	Outer Diameter	Width	Make	Models/Applications
SW-1W	0.610" 15.49mm	0.416" 10.57mm	Super Wheel 1	Single flanged Delrin (white) Press-on
SW-1B	0.610" 15.49mm	0.416" 10.57mm	Super Wheel 1	Single flanged Delrin (black) Press-on
SW-Z II	0.610" 15.49mm	0.432" 10.97mm	Super Wheel 2	Double flanged Delrin (black) Press-on
SW-DF	0.610" 15.49mm	0.432" 10.97mm	Super Wheel DF	Double flanged Aluminum Set Screw – 6 Hole Pattern Wheel Fits 3/32 Slot.it Axle

The four wheels listed above fit the Super Tires ST1A thru ST6A, both in silicone and urethane.

SW-1508	0.591" 15mm	0.315" 8mm	Super Wheel SS	Aluminum Set Screw Wheel 6 Hole Pattern Fits 3/32 Slot.it Axle
---------	-------------	------------	----------------	--

The SW-1508 fits the Super Tires 1400R, 1401R, 1402R, 1403R, 1404R & 1405R, both in silicone and urethane.

SW-1710	0.669" 17mm	0.394" 10mm	Super Wheel SS	Aluminum Set Screw Wheel 6 Hole Pattern Fits 3/32 Slot.it Axle
---------	-------------	-------------	----------------	--

The SW-1710 fits the Super Tires 1407R, 1408R, 1409R & 1410R, both in silicone and urethane.

Part #	Outer Diameter	Width	Make	Models/Applications
ST1A	0.750" 19.05mm	0.376" 9.55mm	Super Tires	Double Flange Wheel
ST2A	0.769" 19.53mm	0.376" 9.55mm	Super Tires	Double Flange Wheel
ST3A	0.780" 19.81mm	0.376" 9.55mm	Super Tires	Double Flange Wheel
ST4A	0.801" 20.35mm	0.376" 9.55mm	Super Tires	Double Flange Wheel
ST5A	0.814" 20.68mm	0.376" 9.55mm	Super Tires	Double Flange Wheel
ST6A	0.840" 21.34mm	0.376" 9.55mm	Super Tires	Double Flange Wheel

### FLY Series – Direct Fit Slip-on Silicone Super Tires (Final O.D. after mounted on the manufacturer's stock wheel)

Part #	Outer Diameter	Width	Make	Models/Applications
1000	0.818" 20.78mm	0.405" 10.29mm	Fly	Panoz, Viper
1001	0.836" 21.23mm	0.410" 10.41mm		
1002	0.848" 21.54mm	0.410" 10.41mm		
1003	0.792" 20.12mm	0.410" 10.41mm	Fly	BMW M3 E30, BMW M3 GTR, Corvette, Joest Porsche WSC, Lister, Lola B98/10, Marcos, Porsche 911 GT, Porsche EVO, Saleen S7R, Venturi, Viper (2004)
			Carrera	Ferrari 575
			Scalextric	Maserati MC-12
1004	0.812" 20.62mm	0.410" 10.41mm	Fly	BMW M3 E30, BMW M3 GTR, Corvette, Joest Porsche WSC, Lister, Lola B98/10, Marcos, Porsche 911 GT, Porsche EVO, Saleen S7R, Venturi, Viper (2004)
			Carrera	Ferrari 575
			Scalextric	Maserati MC-12

1005	0.838" 21.29mm	0.410" 10.41mm	Fly	BMW M3 E30, BMW M3 GTR, Corvette, Joest Porsche WSC, Lister, Lola B98/10, Marcos, Porsche 911 GT, Porsche EVO, Saleen S7R, Venturi, Viper (2004),
1006	0.850" 21.59mm			(The 1005 also fits the SCX Ferrari FXX)
1007R	0.815" 20.70mm	0.430" 10.92mm	CB Design	Designed to fit most 15x11mm wheels
			Fly	Classic Series, Ferrari 512, Lola T70, Porsche 908, Porsche 917
			FlySlot	Ford Mk II, Lola T70, Porsche 917LH
			Monogram	Greenwood Corvette
			Spirit	Classic Series, Reynard, MG Lola
			TSRF	Jan-32
1008R	0.830" 21.08mm	0.430" 10.92mm	CB Design	Designed to fit most 15x11mm wheels
			Fly	Classic Series, Ferrari 512, Ferrari 365 GTB/4, Ford GT40, Lola T70, Porsche 908, Porsche 917K
			FlySlot	Ford Mk II, Lola T70, Porsche 917LH
			TSRF	Jan-32
1009R	0.844" 21.44mm	0.430" 10.92mm	CB Design	Designed to fit most 15x11mm wheels
			Fly	Classic Series, Ferrari 512, Ferrari 365 GTB/4, Ford GT40, Lola T70, Porsche 908, Porsche 917K
			FlySlot	Ford Mk II, Lola T70, Porsche 917LH
1010	0.838" 21.29mm	0.430" 10.92mm	Fly	Capri, Lancia, BMW 3.5 CSL, Porsche 911 GT, Porsche 935
			Scalextric	Audi R10, Ford GT, Lister Storm, Mercedes McLaren SLR, Mercedes F1 Safety Car, Maserati MC12
			SCX	Dome Judd
1011	0.840" 21.59mm	0.410" 10.41mm	Fly	Daytona Prototypes, Flyslot Sunred

**SCALEXTRIC Series – Direct Fit Slip-on Silicone and Urethane Super Tires  
(Final O.D. after mounted on the manufacturer's stock wheel)**

Part #	Outer Diameter	Width	Make	Models/Applications
1100A-R/1111R	0.792" 20.12mm	0.430" 10.92mm	Scalextric	Aston Martin DBR9/DBS, Cadillac Northstar LMP, Ford GT (new), MG Lola, Nissan Skyline, TVR T400R, Dodge Viper GT, Ferrari F430, Ford GT, Lamborghini Gallardo, Mustang FR500C, Peugeot 908 HDI FAP, Porsche 997 GT3 RS, Porsche RS Spyder, McLaren MP4-12C, Audi R8 LMS GT3, BMW 320i, Jaguar XKR, Nissan GT-R Drift, START Pro Racing START GT Endurance Note: Also designed to fit most CD Design 17x11mm wheels, <a href="#">Team GT (Zombie)</a>
1100B-R/1112R	0.808" 20.52mm			
1100C-R/1113R	0.826" 20.98mm			
1101R	0.802" 20.37mm	0.360" 9.14mm	Scalextric	NASCAR (including COT)
1102R	0.804" 20.42mm	0.310" 7.87mm	Scalextric	Corvette L88 (1968), Trans Am MiniLite Wheels (older) Ferrari 330 P4, Gran Torino, Dodge Charger
1103R	0.794" 20.17mm	0.453" 11.51mm	Scalextric	F1, Indy (Dallara), Lotus 49, Eagle Gurney
1104	0.806" 20.47mm	0.337" 8.56mm	Scalextric	Ford GT40, <a href="#">Shelby Cobra</a>
1105	0.808" 20.52mm	0.380" 9.65mm	Scalextric	Mercedes AMG DTM, Honda NSX JGTC, Nissan 350Z JGTC, Opel V8 Coupe DTM, Porsche 911 GT3, Toyota Supra JGTC, Ford GT (old), Maserati Trofeo, Mercedes SLK, Opel Vectra DTM, Opel Astra DTM, Carrera Ford GT or GTE
1106	0.778" 19.76mm	0.294" 7.47mm	Scalextric	Mini-Cooper, Seat Leon, Ford Focus WRC Mitsubishi Lancer WRC, Subaru WRC
1107	1.045" 26.54mm	0.326" 8.28mm	Scalextric	Team Scalextric – Starco Racing Truck
1108R NEW 10/25			Scalextric	Porsche Carrera 911 RSR (radius inside and out)

**NINCO Series – Direct Fit Slip-on Silicone and Urethane Super Tires  
(Final O.D. after mounted on the manufacturer's stock wheel)**

Part #	Outer Diameter	Width	Make	Models/Applications
--------	----------------	-------	------	---------------------

1200	0.792" 20.12mm	0.410" 10.41mm	Ninco	Audi TT, BMW M3 GTR, BMW V12, Chevrolet Cruz, Corvette, DTM Mercedes, Ferrari F360, Ford GT, Honda NSX, Lamborghini Gallardo, Lamborghini Murcielago, Lexus SC430, Lotus Exige GT3, McLaren F1 GTR, Mercedes CLK, Mosler MT900, Nissan 350Z, Porsche 997, Porsche GT1, Renault Megane, Toyota Supra, Acura LMP, Mustang, Pro-Race 17 wheels
			Carrera	Mercedes SLR
1201	0.812" 20.62mm	0.410" 10.41mm	Ninco	Audi TT, BMW M3 GTR, BMW V12, Chevrolet Cruz, Corvette, DTM Mercedes, Ferrari F360, Ford GT, Honda NSX, Lamborghini Gallardo, Lamborghini Murcielago, Lexus SC430, Lotus Exige GT3, McLaren F1 GTR, Mercedes CLK, Mosler MT900, Nissan 350Z, Porsche 997, Porsche GT1, Renault Megane, Toyota Supra, Acura LMP, Mustang, Pro-Race 17 wheels
			Carrera	Mercedes SLR
1202	0.778" 19.76mm	0.480" 12.19mm	Ninco	F1, Indy
1203	0.626" 15.90mm	0.456" 11.58mm	Ninco	Go-Karts
1204R	0.805" 20.45mm	0.225" 5.72mm	CB Design	Designed to fit most 15x07mm Wheels
			Ninco	Classic Series (Except Cobra)
			Scalextric	Mercedes 300 SLR
			Racer	Porsche 9115

**Carrera Series-Direct Fit Slip-on Silicone and Urethane Super Tires  
(Final O.D. after mounted on the manufacturer's stock wheel)**

Part #	Outer Diameter	Width	Make	Models/Applications
1300	1.056" 26.82mm	0.420" 10.67mm	Carrera	1/24 (BMW, Panoz, Porsche)
1301	0.840" 21.34mm	0.241" 6.12mm	Carrera	Classic Series, 56 T-Bird, 57 Chevrolet Bel Air, 60 Plymouth Fury, 69 Camaro, Aston Martin DBS, Aston Martin Vanquish, Corvette Stingray, Ferrari 166/212, Maserati A6GCS, Pontiac GTO, 1965 Mustang
			Monogram	Mustang
			Ninco	Classics (Austin Healy, 56 Corvette, Jaguar XKE120, Ferrari 250 TR)
1302R	0.932" 23.67mm	0.320" 8.13mm	Carrera	Classic NASCARs, Dodge Charger SRT8 (street & police car), 1968 Dodge Charger 500 (street version)
1303 & 1303R	0.824" 20.93mm	0.356" 9.04mm	Carrera	NASCAR COT, BMW Z4 Coupe, Chevrolet Dekon Monza
1304	0.809" 20.55mm	0.565" 14.35mm	Carrera	McLaren M20 CanAm
1305	0.853" 21.67mm	0.631" 16.03mm	Carrera	Porsche 917/30 CanAm
1306	0.812" 20.62mm	0.470" 11.94mm	Carrera	F1
1307 & 1307R	0.845" 21.46mm	0.420" 10.67mm	Carrera	BMW M3, Green GT H2 (electric racer), Audi A4 DTM 2008, AMG-Mercedes C Klasse 2007
1308R	0.858" 21.79mm	0.410" 10.41mm	Carrera	Ferrari 458, Ferrari 599, Mercedes SLS
1309	0.795" 20.18mm	0.470" 11.94mm	Carrera	Ford Capri, Francesco Bernoulli, CarreraGroup 5, VW Kafer, MNW M1 PRO CAR
1310 & 1310R NEW	0.855" 21.72mm	0.371" 9.42mm	Carrera	Carrera Audi A5 DTM, Audi R8. Researching more applications,let us know if you find any.
1311	0.828" 21.03mm	0.472" 11.99mm	Carrera	Carrera Porsche 917K Researching more applications,let us know if you find any.
1312R		0.470" 11.94mm	Carrera	VW Bug Researching more applications,let us know if you find any.
1313R NEW 1/24	New		Carrera	Mustang GTY

1314R NEW 12/24	New		Carrera	Nascar Next Gen
1315R NEW 9/25	New		Carrera	Pantera
1316R NEW 4/26	New		Carrera	FORD MUSTANG GT3
1317R NEW 6/26	New		Carrera	RB20 F1

**The 1400 Series-Direct Fit Slip-on Silicone and Urethane Super Tires (Slot-it)  
(Final O.D. after mounted on the manufacturer's stock wheel)**

Part #	Outer Diameter	Width	Make	Models/Applications
1400R or 1400R-ZG Low Grip (urethane)  Front Tires (Sandable)	0.704" 17.88mm	0.350" 8.89mm	Super Wheels/CB Design Wheels	Designed to fit most 15x08mm wheels
			Slot.it	Audi R8C (original), Jaguar XJR6/9/12, Lancia LC2/85, Mercedes Sauber C9, Porsche 956, Porsche 956 (EVO6), Porsche 962, Porsche 962 (EVO6), Ferrari 312PB, Ford GT40, Mazda 787B, Ford Mk II, Toyota 88C, Chapparral2E
			NSR	16x08mm wheels
			Sloting+	14.6x8mm, 15x8mm, 15.5x8mm, 15.9x8mm, 16.2x8.5mm
1401R OR 1401R-ZG Low Grip (urethane)  Front Tires (Sandable)	0.734" 18.64mm	0.350" 8.89mm	Super Wheels/CB Design Wheels	Designed to fit most 15x08mm wheels
			Slot.it	Audi R8C (original), Jaguar XJR6/9/12, Lancia LC2/85, Mercedes Sauber C9, Porsche 956, Porsche 956 (EVO6), Porsche 962, Porsche 962 (EVO6), Ferrari 312PB, Ford GT40, Mazda 787B, Ford Mk II, Toyota 88C, Chapparral2E
			NSR	16x8mm wheels, Fiat Abarth 500, Porsche 997 Rally
			Sloting+	14.6x8mm, 15x8mm, 15.5x8mm, 15.9x8mm, 16.2x8.5mm
1402R  Or 1402R-ZG Low Grip (urethane)  Front Tires (Sandable)	0.748" 19.00mm	0.340" 8.64mm	Super Wheels/CB Design Wheels	Designed to fit most 15x08mm wheels
			Slot.it	Audi R8c (original), Jaguar XJR6/9/12, Lancia LC2/85, Mercedes Sauber C9, Porsche 956, Porsche 956 (EVO6), Porsche 962, Porsche 962 (EVO6), Ferrari 312PB, FordGT40, Mazda787B, Ford Mk ii, Toyota 88C, Chappral 2E, Alfa 33/3, McLaren F1 GTR (RAW), Nissan R390 (RAW) ,Nissan Skyline GTR,
			NSR	16x08mm, Fiat Abarth 500, Porsche 917K, Ford GT40, Ford Mk II, FordP68, Mosler MT900R
			SCX	Morgan Aero 8, Rally, Seat Cupra GT, Tuner Car 2, BMW 320i
			Artin	Mercedes CLK, Porsche GT1
			Cartrix	BMW, Porsche
			Ninco	Rally, Mini-Cooper, Pro-Race 15 wheels
			Sloting+	14.6x8mm, 15x8mm, 15.5x8mm, 15.9x8mm, 16.2x8.5mm
1403R  Or 1403R-ZG Low Grip (urethane)  Front Tires (Sandable)	0.777" 19.74mm	0.350" 8.89mm	Super Wheels/CB Design Wheels	Designed to fit most 15x08mm wheels
			Slot.It	15x08mm, Audi R8C (original), Jaguar XJR6/9/12, Lancia LC2/85, Mercedes Sauber C9, Porsche 956, Porsche 956 (EVO6), Porsche 962, Porsche 962 (EVO6), Ferrari 312PB, Ford GT40, Mazda 787B, Ford Mk II, Toyota 88C, Chapparral 2E, Alfa 33/3, McLaren F1 GTR (RAW), Nissan R390 (RAW)
			Carrera	Enzo Ferrari
			NSR	16x08mm, Porsche 917K, Ford GT40, Ford Mk IV, Ford P68, Mosier MT900R
			SCX	Seat Cupra GT, BMW 320i
			Sloting+	14.6x8mm, 15x8mm, 15.5x8mm, 15.9x8mm, 16.2x8.5mm
			MR Slotcar	Mazda 787B

			Racer	Capri, Lancia
			Thunderslot	McLaren M6B Can-Am Las Vegas 68
1404R	0.805" 20.45mm	0.352" 8.94mm	Super Wheels/CB Design Wheels	Designed to fit most 15x08mm wheels
			Slot.it	15x08mm, Alfa 33/3, Audi R8C (original), Jaguar XJR6/9/12, Lancia LC2/85, Mercedes Sauber C9, Porsche 956, Porsche 956 (EVO6), Porsche 962, Porsche 962 (EVO6), Ferrari 312PB, Ford GT40, Mazda 787B, Ford Mk II, Toyota 88C, Chapparral 2E
			NSR	16x08mm, Ford GT40, Ford Mk IV, Ford P68, Mosler MT900R, Porsche 917K
			Carrera	Enzo Ferrari, Peugeot 908 HDI FAP
			Sloting+	14.6x8mm, 15x8mm, 15.5x8mm, 15.9x8mm, 16.2x8.5mm
1405R	0.824" 20.93mm	0.350" 8.89mm	Super Wheels/CB Design Wheels	Designed to fit most 15x08mm wheels
			Slot.it	15x08mm, Audi R8C (original), Jaguar XJR6/9/12, Lancia LC2/85, Mercedes Sauber C9, Porsche 956, Porsche 956 (EVO6), Porsche 962, Porsche 962 (EVO6), Ferrari 312PB, Ford GT40, Mazda 787B, Ford Mk II, Toyota 88C, Chapparral 2E
			NSR	16x08mm
1407R	0.794" 20.17mm	0.394" 10.01mm	Slot.it	17x10mm, Nissan R390 (original), Ferrari F40, Audi R18, Audi R8C (Reloaded), Lola B09/60, Lola B10/60, McLaren F1 GTR (original), Porsche 911 GT1 EVO98
			Carrera	C6R Race Liveries (not STREET), Mercedes DTM, Audi DTM, Porsche RS Spyder ALMS, Porsche GT3 RSR
			Racer	Daytona Prototype
			ProSlot	Toyota GT1, Porsche GT2
			SCX	Ferrari 360, Ferrari 550, Ferrari FXX, Audi R10, Aston Martin D89, Corvette C6R, Peugeot 908 LMP
			ScaleAuto	Mercedes SLS, Radical
			Sloting+	16.2x8.5mm, 16.5x8.5mm, 16.5x10mm, 16.9x8.5mm, 16.9x10mm, 17.2x9mm, 17.5x9mm
1408R	0.808" 20.52mm	0.394" 10.01mm	Super Wheels/CB Design Wheels	Designed to fit most 17x10mm wheels
			Slot.it	17x10mm, Nissan R390 (original), Ferrari F40, Audi R18, Audi R8C (Reloaded), Lola B09/60, Lola B10/90, McLaren F1 GTR (original), Porsche 911 GT1 EVO98
			NSR	17x10mm, Audi R18 LMP, Audi R8 LMS, Porsche 997, Abarth S2000, Corvette C6R, Renault Clio Cuip/R3
			Black Arrow	Aston Martin DBR9
			Racer	Daytona Prototype
			ScaleAuto	Mercedes SLS
			Sloting+	16.2x8.5mm, 16.5x8.5mm, 16.5x10mm, 16.9x8.5mm, 16.9x10mm, 17.2x9mm, 17.5x9mm
			Carrera	C6R Race Liveries (not Street), Mercedes DTM, Audi DTM, Porsche RS Spyder ALMS, Porsche GT3 RSR
			Ninco	Lightning Pro Race
			ProSlot	Toyota GT1, Porsche GT2
			Slot.it	17x10mm, Nissan R390 (original), Ferrari F40, Audi R18, Audi R8C (Reloaded), Lola B09/60, Lola B10/60, McLaren F1 GTR (original), Porsche 911 GT1 EVO98
			NSR	17x10mm
			SCX	Corvette C6R, Ferrari 550, Ferrari 360, Aston Martin DB9, Audi R10, Peugeot 908 LMP

1409R	0.823" 21.01mm	0.400" 10.16mm	Racer	Daytona Prototype
			ProSlot	Porsche GT2, Toyota GT1
			Sloting+	C6R16.2x8.5mm, 16.5x8.5mm, 16.5x10mm, 16.9x8.5mm, 16.9x10mm, 17.2x9mm, 17.5x9mm
			Carrera	C6R Race Liveries (not Street), Mercedes DTM, Audi DTM, Porsche RS Spyder ALMS, Porsche GT3 RSR
			Scalextric	Ford Mustang GT3
1410R	0.842" 21.39mm	0.400" 10.16mm	Super Wheels/CB Design Wheels	Designed to fit most 17x10mm wheels
			Slot.it	17x10mm, Nissan R390 (original), Ferrari F40, Audi R18, Audi R8C (Reloaded), Lola B09/60, Lola B10/60, McLaren F1 GTR (original), Nissan R390 (original), Porsche 911 GT1 EVO98
			NSR	17x10mm
			SCX	Corvette C6R, Ferrari FXX,
			Sloting+	16.2x8.5mm, 16.5x8.5mm, 16.5x10mm, 16.9x8.5mm, 16.9x10mm, 17.2x9mm, 17.5x9mm
			Carrera	Audi DTM, C6R Race Liveries (not Street), Mercedes DTM, Porsche GT3 RSR, Porsche RS Spyder ALMS
			Scalextric	Ford Mustang GT3
1420 1420R	0.730" 18.54mm	0.470" 11.94mm	CB Design	Designed to fit most 14.5x12mm wheels
			Slot.It	14x12mm (F1)
			NSR	F1 5005 Wheels
1421 1421R	0.740" 18.80mm	0.470" 11.94mm	CB Design	Designed to fit most 14.5x12mm wheels
			Slot.It	14x12mm (F1)
			NSR	F1 5005 Wheels
1422 1422R	0.758" 19.25mm	0.470" 11.94mm	CB Design	Designed to fit most 14.5x12mm wheels
			Slot.It	14x12mm (F1)
			NSR	F1 5005 Wheels
1423 1423R	0.770" 19.56mm	0.470" 11.94mm	CB Design	Designed to fit most 14.5x12mm wheels
			Scaleauto	F1 F90-97
			Slot.It	14x12mm (F1)
1424R	0.785"19.94mm	0.470" 11.94mm	NSR	F1 5005 Wheels
			Fly	BMW M1
1425 1425R	0.800" 20.32mm	0.470" 11.94mm	CB Design	Designed to fit most 14.5x12mm wheels
			Slot.It	14x12mm (F1), Policar F1
			Scaleauto	F1-F90-97
			NSR	F1 5005 Wheels
			Monogram	Greenwood Corvette
<b>Vanquish Series-Direct Fit Slip-on Silicone and Urethane Super Tires (Final O.D. after mounted on the manufacturer's stock wheel)</b>				
Part #	Outer Diameter	Width	Make	Models/Applications
1500	0.825" 20.96mm	0.510" 12.95mm	Vanquish	Shadow, Lola McLaren, M8E, Mirage, BRM
			Monogram	Greenwood Corvette

**RevoSlot Series – Direct Fit Slip-on Silicone & Urethane Super Tires  
(Final O.D. after mounted on the manufacturer's stock wheel)**

Part #	Outer Diameter	Width	Make	Models/Applications
1501R	0.371" 9.42mm	0.829" 21.06mm	RevoSlot	Porsche 911 GT2 and Marcos, McLaren
1502R	0.415" 10.54mm	0.819" 20.80mm	RevoSlot	Viper, Supra, 2nd release Porsche 911 GT with wider rear wheel and <a href="#">Ferrari 333SP</a> , Newly released <a href="#">Toyota GT ONE</a>
<a href="#">1503R NEW 1/24</a>	NEW		RevoSlot	Group 2 Cars
<a href="#">1504R NEW 8/25</a>	NEW		RevoSlot	<a href="#">Porsche 934</a> , <a href="#">Mazda RX7</a>

**SCX Series – Direct Fit Slip-on Silicone & Urethane Super Tires  
(Final O.D. after mounted on the manufacturer's stock wheel)**

Part #	Outer Diameter	Width	Make	Models/Applications
1600	0.575" 14.60mm	0.250" 6.35mm	SCX	1/43 Scale NASCAR
1601	0.818" 20.78mm	0.338" 8.59mm	SCX	NASCAR (Pre-COT-COT Pro), Barracuda, Trans Am
			Carrera	1969 Camaro Drag Racer (not the street version)
			Scalextric	Ford Falcon XB, *NASCAR Monte Carlo, Ford Thunderbird, Ford Thunderbird Stock Car, IROC Z28, Shelby Fastback
1603	0.806" 20.47mm	0.373" 9.47mm	SCX	17mm aluminum Pro-Wheel, Audi R8 Pro, Pro, <a href="#">Ferrari 550 Maranello</a> , Ford <a href="#">Sierra RS Cosworth</a> , <a href="#">Porsche 911 GT3 Cup</a>
			Avant Slot	16.5x10mm aluminum wheel
			Scalextric	<a href="#">Camaro Z-28</a>
<a href="#">1604R NEW 8/25</a>	NEW		SCX	<a href="#">FORMULA 1</a>

**Monogram Series-Direct Fit Slip-on Silicone and Urethane Super Tires  
(Final O.D. after mounted on the manufacturer's stock wheel)**

Part #	Outer Diameter	Width	Make	Models/Applications
1700	0.825" 20.96mm	0.310" 7.87mm	MRRC	Chapparral, Porsche 910
			Revell	Jaguar E-Type
			Monogram	Vintage NASCAR
			Scalextric	<a href="#">Checker Cab (Best fit offered)</a>

**Spirit Series-Direct Fit Slip-on Silicone and Urethane Super Tires  
(Final O.D. after mounted on the manufacturer's stock wheel)**

Part #	Outer Diameter	Width	Make	Models/Applications
1800	0.748" 19.00mm	0.380" 9.65mm	Spirit	Courage, Peugeot 406

**Pioneer Series-Direct Fit Slip-on Silicone and Urethane Super Tires  
(Final O.D. after mounted on the manufacturer's stock wheel)**

Part #	Outer Diameter	Width	Make	Models/Applications
1900	0.836" 21.23mm	0.330" 8.38mm	Pioneer	Mustang Race Liveries
			Scalextric	Ford Falcon, Trans Am 5-spoke wheels (newer) , Cobra 289
1901R	0.808" 20.52mm	0.290" 7.37mm	Pioneer	Charger
<a href="#">1902R NEW 4/26</a>			Pioneer	Legends

**MRRC Series – Direct Fit Slip-on Silicone and Urethane Super Tires  
(Final O.D. after mounted on the manufacturer's stock wheel)**

Part #	Outer Diameter	Width	Make	Models/Applications
2000R	0.815" 20.70mm	0.220" 5.59mm	Scalextric	Classic Beetle
			MRRC	Sebring Chassis, Porsche 911, Ford GT40 Mk IV, Porsche 910, Cobra, Cheetah, Chaparral, Kellison, King Cobra, Porsche 904 GTS, Jaguar MK1

**The 2100 Series – Direct Fit Slip-on Silicone and Urethane Super Tires  
(Final O.D. after mounted on the manufacturer's stock wheel)**

Part #	Outer Diameter	Width	Make	Models/Applications
--------	----------------	-------	------	---------------------

2102R	0.785" 19.94mm	0.400" 10.16mm	CB Design Wheels	Designed to fit most 15x10mm wheels
			Slot.It	15x10mm
			NSR	16x10mm
			Sloting +	15.9x10mm, 16.2x10mm
2104R	0.803" 20.40mm	0.400" 10.16mm	CB Design Wheels	Designed to fit most 15x10mm wheels
			Slot.It	15x10mm
			NSR	16x10mm
			Sloting +	15.9x10mm, 16.2x10mm
Both these part #rs fit these applications. ----- 2114R	0.780" 19.81mm	0.430" 10.92mm	Super Wheel	Designed to fit most 15x11mm wheels
			Scalextric	Porche 911 RSR
			NSR	<a href="#">Formula 22 (air ride)</a>
	0.795" 20.19mm	0.432" 10.97mm	Fly	Classic Series, Ferrari 512, Lola T70, Porsche 908
			Monogram	Greenwood Corvette
			Spirit	Classic Series, MG Lola, Reynard
			TSRF	1/32

**NSR SERIES - specific to the model, made for the model  
(Final O.D. after mounted on manufacturer's stock wheels)**

2200R NEW 10/25	NEW		NSR	NSR 86/89 F1 (new radius inside and out)
-----------------	-----	--	-----	--

**Vintage Series – Direct Fit Slip-on Silicone and Urethane Super Tires  
(Final O.D. after mounted on the manufacturer's stock wheel)**

Part #	Outer Diameter	Width	Make	Models/Applications
V-100	0.872" 22.15mm	0.298" 7.57mm	Riggen	Home Set Cars - (rear-no "rib" on wheel)

Important Information

All part numbers with "R" following the number, means that specific tire has one rounded-radius sidewall only.

Widths for "R" series tires are for the contact patch only (excludes sidewall).

Tires 1007R, 1008R, 1009R and 1302R have a minor arc radius on one side. (for tight wheel wall clearance)

Manufacturers trade names are property of the respective companies & used for identification only.

All Zero Grip/Low Grip tires are Urethane compound and are Sandable tires.